

This is NOT a Tax Statement **Notice Of Appraised Value**
Do NOT Pay From This Notice

LIMESTONE CO APPRAISAL DIST
PO DRAWER 831
303 S WACO STREET
GROESBECK TX 76642
903-657-2555

RENFROE BILLY G
PO BOX 228
GROESBECK TX 76642-0228

|||||

APPRAISAL YEAR 2022
THE APPRAISAL REVIEW BOARD WILL BEGIN HEARING
PROTESTS ON 6/28/2022 AT: 9:00 AM
303 S WACO STREET
GROESBECK TX 76642
903-657-2555 EXT 25 OWNERSHIP
903-657-2555 EXT 12 MINERALS
903-657-2555 EXT 28 PERS PROP
903-657-2555 EXT 27 UTILITIES
Protest Deadline: 6-13-2022
ARB Hearing: 6-28-2022
Owner: 6633000 2091

VISIT WWW.PANDAI.COM AND SELECT MINERAL OR
PERSONAL PROPERTY APPRAISAL ACCESS FOR LIVE
APPRAISAL VALUES, REPORTS AND MINERAL FAQ'S.

Dear Property Owner,
The value of your property listed below is based on an appraisal date of January 1st of this year.

MINERAL APPRAISAL INFORMATION	LAST YEAR	PROPOSED 2022	PROPERTY DESCRIPTION
LIMESTONE CO GROESBECK ISD SO LIMESTONE HD ESD2W	130 130 130 50	710 710 710 270	Lease: 240511 Type: REAL Owner #: 6633000 Legal: RENFROE R L (03) CRESCENT PASS ENERGY AB 1 J N ACOSTA SURVEY WELL #3 RRC# 148814 .004522 Royalty Interest Category: G1 Railroad #: 148814
HB1984: The Appraised value of \$710 in 2022 as compared to \$100 in 2017 is a 610.00% increase.			
Taxing Units	Last Year's Taxable	Proposed Exemptions	Proposed Taxable (Less Exemptions)
LIMESTONE CO GROESBECK ISD SO LIMESTONE HD ESD2W	130 130 130 50	0 0 0 0	710 710 710 270

Additional Owner's Properties are continued on following page(s).

Contact the appraisal office if you disagree with this year's proposed value for your property or if you have any problems with the property description or address information. If the problem cannot be resolved, you have a right to appeal to the Appraisal Review Board (ARB). To appeal, you must file a WRITTEN protest with the ARB before the protest deadline. Enclosed is a protest form to mail or bring to the appraisal district office at the address above before the above date. You may meet informally with an appraisal district representative anytime prior to your protest hearing to discuss and possibly resolve your issues without going to the ARB hearing. You may have the right to have a protest relating to the property heard by a special panel of the ARB. The ARB will notify you of the date, time and place of your scheduled hearing. Enclosed also is information to help you in preparing your protest. You do not need to use the enclosed form to file your protest. You may protest by letter, if it includes your name, your property description and what appraisal action you disagree with.

Beginning August 7th, visit Texas.gov/PropertyTaxes to find a link to your local property tax database on which you can easily access information regarding your property taxes, including information regarding the amount of taxes that each entity that taxes your property will impose if the entity adopts its proposed tax rate. Your local property tax database will be updated regularly during August and September as local elected officials propose and adopt the property tax rates that will determine how much you pay in property taxes.

If you have any other questions or need more information, please contact the appraisal office at the phone number or address listed above.
Sincerely,

TERRI LENAMON
Chief Appraiser

MINERAL APPRAISAL INFORMATION	LAST YEAR	PROPOSED 2022	PROPERTY DESCRIPTION
LIMESTONE CO GROESBECK ISD SO LIMESTONE HD ESD2W	250 250 250 90	790 790 790 300	Lease: 240516 Type: REAL Owner #: 6633000 Legal: RENFROE R L (05) CRESCENT PASS ENERGY AB 1 J N ACOSTA SURVEY WELL #5 RRC# 221715 .004522 Royalty Interest Category: G1 Railroad #: 221715 HB1984: The Appraised value of \$790 in 2022 as compared to \$320 in 2017 is a 146.88% increase.
Taxing Units	Last Year's Taxable	Proposed Exemptions	Proposed Taxable (Less Exemptions)
LIMESTONE CO GROESBECK ISD SO LIMESTONE HD ESD2W	250 250 250 90	0 0 0 0	790 790 790 300

Total of all Above Parcels

Taxing Units	Owner's Last Year's Taxable	Owner's Proposed Exemptions	Owner's Proposed Taxable
LIMESTONE CO GROESBECK ISD SO LIMESTONE HD ESD2W	380 380 380 140	0 0 0 0	1,500 1,500 1,500 570