

This is NOT a Tax Statement **Notice Of Appraised Value**
Do NOT Pay From This Notice

LIMESTONE CO APPRAISAL DIST
PO DRAWER 831
303 S WACO STREET
GROESBECK TX 76642
903-657-2555

TRUE OIL & GAS HOLDINGS LLC
351 ANDERSON CO RD 4033
PALESTINE TX 75803



APPRAISAL YEAR 2022	
THE APPRAISAL REVIEW BOARD WILL BEGIN HEARING	
PROTESTS ON	6/28/2022 AT: 9:00 AM
303 S WACO STREET	
GROESBECK TX 76642	
903-657-2555 EXT 25 OWNERSHIP	
903-657-2555 EXT 12 MINERALS	
903-657-2555 EXT 28 PERS PROP	
903-657-2555 EXT 27 UTILITIES	
Protest Deadline:	6-13-2022
ARB Hearing:	6-28-2022
Owner:	51038 2602
VISIT WWW.PANDAI.COM AND SELECT MINERAL OR	
PERSONAL PROPERTY APPRAISAL ACCESS FOR LIVE	
APPRAISAL VALUES, REPORTS AND MINERAL FAQ'S.	

Dear Property Owner,
The value of your property listed below is based on an appraisal date of January 1st of this year.

MINERAL APPRAISAL INFORMATION		LAST YEAR	PROPOSED 2022	PROPERTY DESCRIPTION	
LIMESTONE CO		150	820	Lease: 240511 Type: REAL Owner #: 51038	
GROESBECK ISD		150	820	Legal: RENFROE R L (03)	
SO LIMESTONE HD		150	820	CRESCENT PASS ENERGY	
ESD2W		60	310	AB 1 J N ACOSTA SURVEY	
				WELL #3 RRC# 148814	
				.005222 Royalty Interest	
				Category: G1	
				Railroad #: 148814	
No 2017 Hist					
Taxing Units	Last Year's Taxable	Proposed Exemptions	Proposed Taxable (Less Exemptions)		
LIMESTONE CO	150	0	820		
GROESBECK ISD	150	0	820		
SO LIMESTONE HD	150	0	820		
ESD2W	60	0	310		

Additional Owner's Properties are continued on following page(s).

Contact the appraisal office if you disagree with this year's proposed value for your property or if you have any problems with the property description or address information. If the problem cannot be resolved, you have a right to appeal to the Appraisal Review Board (ARB). To appeal, you must file a WRITTEN protest with the ARB before the protest deadline. Enclosed is a protest form to mail or bring to the appraisal district office at the address above before the above date. You may meet informally with an appraisal district representative anytime prior to your protest hearing to discuss and possibly resolve your issues without going to the ARB hearing. You may have the right to have a protest relating to the property heard by a special panel of the ARB. The ARB will notify you of the date, time and place of your scheduled hearing. Enclosed also is information to help you in preparing your protest. You do not need to use the enclosed form to file your protest. You may protest by letter, if it includes your name, your property description and what appraisal action you disagree with.

Beginning August 7th, visit Texas.gov/PropertyTaxes to find a link to your local property tax database on which you can easily access information regarding your property taxes, including information regarding the amount of taxes that each entity that taxes your property will impose if the entity adopts its proposed tax rate. Your local property tax database will be updated regularly during August and September as local elected officials propose and adopt the property tax rates that will determine how much you pay in property taxes.

If you have any other questions or need more information, please contact the appraisal office at the phone number or address listed above.
Sincerely,

TERRI LENAMON
Chief Appraiser

MINERAL APPRAISAL INFORMATION		LAST YEAR	PROPOSED 2022	PROPERTY DESCRIPTION		
LIMESTONE CO		290	920	Lease: 240516 Type: REAL Owner #: 51038		
GROESBECK ISD		290	920	Legal: RENFROE R L (05)		
SO LIMESTONE HD		290	920	CRESCENT PASS ENERGY		
ESD2W		110	350	AB 1 J N ACOSTA SURVEY		
				WELL #5 RRC# 221715		
				.005222 Royalty Interest		
				Category: G1		
				Railroad #: 221715		
No 2017 Hist						
Taxing Units		Last Year's Taxable	Proposed Exemptions	Proposed Taxable (Less Exemptions)		
LIMESTONE CO		290	0	920		
GROESBECK ISD		290	0	920		
SO LIMESTONE HD		290	0	920		
ESD2W		110	0	350		

Total of all Above Parcels

Taxing Units	Owner's Last Year's Taxable	Owner's Proposed Exemptions	Owner's Proposed Taxable		
LIMESTONE CO	440	0	1,740		
GROESBECK ISD	440	0	1,740		
SO LIMESTONE HD	440	0	1,740		
ESD2W	170	0	660		